

Conforms to Regulations: (EC) No. 1907/2006(REACH), 1272/2008(CLP) and OSHA final rule 77 Fed.Reg.17574

Safety Data Sheet

Date issued: August 1, 2018

SECTION 1. GHS PRODUCT IDENTIFIER

- 1.1 Name of the product:** Tandy Cova Dyes (all colors)
- 1.2.1 Other means of identification:** #2602-all, 2650-06
- 1.3 Recommended use of the product and restrictions on use:** For use as leather stain only.
- 1.4 Details of the supplier:**
 Manufacturer:
 Fiebing Company, Inc.
 516 South Second Street
 Milwaukee WI – 53204
 Emergency contact: CHEMTREC
 1-800-424-9300 (US/Canada)
 +01 703-527-3887 (International)

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification / risks

According to GHS criteria this product is not classified

2.2. Label elements

Pictogram: None
 Signal word: None
 Hazard Code: None
 Hazard statements: None
 Precaution: P102: Keep out of reach of children
 Prevention: P280: Wear protective gloves / eye protection
 Disposal: P501 Dispose of contents and containers in accordance with all local, Regional, national and international regulations.
 Additional Hazards: Not applicable.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Mixtures

Classification:

| Ingredient | CAS# | EINECS# | REACH Registration Number | Class | Wt% | OSHA- PEL/ACGIH- TLV / Others |
|------------|------|---------|---------------------------------|-------|-----|-------------------------------------|
| | | | | | | |

SDS – Tandy Cova Dyes

| | | | | | | |
|--------------------------------------|------------|-----------|---------------|----------------|-----------|-------------------------------------|
| Propylene glycol | 57-55-6 | 200-338-0 | Not available | Not classified | 1.0 – 2.0 | TWA 10 mg/m3 AIHA |
| Dipropylene glycol mono methyl ether | 34590-94-8 | 252-104-2 | Not available | Not classified | 0.7 – 1.2 | TWA 600 STEL 900 mg/m3 |
| CI Pigment blue 15:0 | 147-14-8 | 205-685-1 | Not available | Not classified | 4.0 – 7.0 | None established |
| CI pigment green 7 | 1328-53-6 | 215-524-7 | Not available | Not classified | 1.0 – 1.5 | None established |
| CI Pigment brown 7:X | 12713-03-0 | 215-168-1 | Not available | Not classified | 1.0 – 2.0 | 10 mg/m3 |
| CI pigment yellow 42 | 51274-00-1 | 257-098-5 | Not available | Not classified | 1.0 – 1.5 | 10 mg/m3 (as Fe, total particulate) |
| Vinyl acrylic copolymer | 65045-76-3 | None | Not available | Not classified | 20 – 22 | None established |
| CI pigment yellow 74 | 6358-31-2 | 211-199-0 | Not available | Not classified | 3.0 – 6.0 | None established |
| CI pigment yellow 3 | 6486-23-3 | 229-355-1 | Not available | Not classified | 1.0 – 3.0 | None established |
| CI pigment orange 16 | 6505-28-8 | 229-388-1 | Not available | Not classified | 1.0 – 3.0 | None established |
| Mica | 12001-26-2 | None | Not available | Not classified | 5 - 10 | OSHA 20 mg/m3 (mppcf) |
| Titanium dioxide | 1317-80-2 | 215-282-2 | Not available | Not classified | 3.0 – 5.0 | OSHA 10 mg/m3 total dust |
| CI Pigment black 7 | 1333-86-4 | 215-609-9 | Not available | Not classified | 1.0 – 4.5 | 3.5 mg/m3 TWA |
| Deionized water | 7732-18-5 | | Not available | Not applicable | 70 – 75 | None established |

SECTION 4. FIRST AID MEASURES**4.1. Description of first aid measures**

- Eye:** In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
- Skin:** If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists. Take off contaminated / soaked clothes and remove it to a safe place.
- Ingestion:** If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
- Inhalation:** If breathing is difficult, remove the victim to fresh air and keep at rest in a Position comfortable for breathing. Get medical advice/attention if you feel

Unwell.

4.2. Most important symptoms and effects, both acute and delayed: Not determined.

Eye: Causes eye irritation. Symptoms may include discomfort, redness, blinking and tear production.

Skin: May cause mild skin irritation. Symptoms may include redness and drying of the Skin.

Inhalation: Repeated exposure may cause respiratory tract irritation.

Ingestion: May cause stomach distress, nausea or vomiting.

4.3. Indication of any immediate medical attention and special treatment needed:

Note to physicians: symptomatic treatment. However, symptoms may not appear immediately. If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: carbon dioxide, dry powder, foam; water spray or water fog.

Unsuitable extinguishing media: None known.

5.2. Special hazards arising from the substance or mixture

Products of Combustion: May include, and are not limited to oxides of carbon.

5.3. Advice for firefighters:

Proceed in accordance with procedures applicable for extinguishing chemical fire. Keep containers cool with water spray from a safe distance, and if possible remove them from the endangered area. Keep upwind of the fire. Wear full fire fighting turn-out gear and respiratory protection.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use individual protection measures – see section 8 of the Safety Data Sheet. Limit the access of bystanders to the endangered area until proper cleaning operations are finished. In the case of great leakage isolate the endangered area. Ensure that breakdown and its results are eliminated by a properly trained staff only. Avoid contact with the eyes, skin and clothes. Do not inhale vapors or mist. If release occurred in closed area, ensure adequate ventilation.

6.2. Environmental precautions

If it is possible and safe, stop or limit product release. Limit spreading of the great leakages by embanking the area. Prevent the product from penetrating drains, waters or soil. Notify respective authorities (occupational safety and hygiene, emergency brigades, environmental brigades and organs of administration).

6.3. Methods and material for containment and cleaning up

Cover up small spillage with non-flammable, neutral absorbent material (sand, soil, diatomic earth, vermiculite) and collect in an appropriate, closed, labeled waste bin. Clean the contaminated area with water with detergent, and then rinse with water.

Dispose off according to the applicable regulations. If necessary, obtain help from specialist companies dealing with waste transport and utilization in order to remove the product/absorbent material contaminated with the product.

6.4. Reference to other sections: See also sections 8 and 13 of the Safety Data Sheet.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling: Avoid contact with the eyes, skin and clothes. Avoid breathing vapor and fog. Keep unused containers tightly closed. Use in a ventilated area.

General Hygiene: Essential hygiene rules should be observed. Clean hands with soapy water after Work/break in work. Do not use contaminated clothing. Immediately remove contaminated clothing and wash before reuse. Use individual protection measures in accordance with the information contained in Section 8.

Fire and explosion prevention: Do not smoke, eliminate possible ignition sources.

7.2. Conditions for safe storage, including any incompatibilities

Storage: Store in tightly sealed and properly labeled containers, in a cool, well ventilated place and away from incompatible materials (See Section 10). Keep out of reach of children.

7.3. Specific end use(s): None available.

SECTION 8. EXPOSURE CONTROL AND PERSONAL PROTECTION EQUIPMENT

8.1. Control parameters

| Ingredient | OSHA-PEL/ACGIH-TLV / Others |
|--------------------------------------|---|
| Propylene glycol | TWA 10 mg/m ³ AIHA |
| Dipropylene glycol mono methyl ether | TWA 600 STEL 900 mg/m ³ |
| CI Pigment blue 15:0 | None established |
| CI pigment green 7 | None established |
| CI Pigment brown 7:X | 10 mg/m ³ |
| CI pigment yellow 42 | 10 mg/m ³ (as Fe, total particulate) |
| Vinyl acrylic copolymer | None established |
| CI pigment yellow 74 | None established |
| CI pigment yellow 3 | None established |
| CI pigment orange 16 | None established |
| Mica | OSHA 20 mg/m ³ (mppcf) |
| Titanium dioxide | OSHA 10 mg/m ³ total dust |
| Pigment black 7 | 3.5 mg/m ³ TWA |

8.2. Exposure controls

Appropriate engineering controls:

General ventilation and/or local fume hood in order to maintain hazardous agent concentration in air below acceptable limits. Local fume hood is preferred, since it enables emission control at source and prevents spreading throughout the working area.

Personal protective equipment:

Eye / face protection: Tight safety eyeglasses (goggles) in the case of prolonged exposure or the risk of liquid splashing to the eye. It is recommended to equip the workplace with a water shower to flush eyes.

Skin protection: Wear impermeable gloves (e.g. perbutane, viton, butyl rubber). It is recommended to change gloves regularly and replace them immediately if any signs of wear or damage (tearing, puncture) or changes in appearance (color, flexibility, shape) occur. Wear protective apron or protective suit made of coated, oil-resistant, anti-slippery shoes.

Respiratory protection: Not required under normal conditions of use. In the case of exceeding the acceptable limits or inadequate ventilation use the approved respirator equipped with a suitable filter or filter-absorber. For activities in the circumstances, in which the mask does not provide adequate protection, use self-contained breathing apparatus.

Thermal hazards: Not applicable

Environmental exposure controls: Consider using precautionary measures in order to protect the area around storage tanks.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

- a) Appearance: Thick liquid various colored
- b) Odor : Faint characteristic
- c) Odor threshold : No data available
- d) pH: 7 – 9
- e) Melting point: Not applicable
Freezing point: < 0° C
- f) Initial boiling point: 100 Deg.C
Boiling range: Not available
- g) Flash point: > 95° C
- h) Evaporation rate : No data available
- i) Flammability: Not Flammable
- j) Upper/lower flammability limit or explosive limits: No data available
- k) Vapor pressure : No data available
- l) Vapor density: No data available
- m) Relative density:
- n) Solubility: Dispersible in water, alcohol
- o) Partition coefficient n-octanol/ water: No data available
- p) Auto-ignition point: Not applicable
- q) Decomposition temperature: No data available
- r) Viscosity: 700 – 3000 cps (Brookfield LVDE)
- s) Explosive properties: Not applicable
- t) Oxidizing properties: Not available

SDS – Tandy Cova Dyes

u) Specific gravity: 1.06 – 1.13 g/ml

v) Total VOC: 0.12 Lbs/Gal

9.2. Other information

IMPORTANT: THIS PRODUCT WILL BE RUINED IF FROZEN

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

No dangerous reaction known under conditions of normal use

10.2. Chemical stability

The substance is stable under normal ambient conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use

10.4. Conditions to avoid:

High temperature, incompatible materials.

10.5. Incompatible materials

Strong oxidizers

10.6. Hazardous decomposition products

May include and are not limited to: oxides of carbon

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Likely routes of exposure: Eye, skin, ingestion

Acute health effects:

Eye: Causes eye irritation. Symptoms may include discomfort, redness, blinking and tear production.

Skin: May cause mild skin irritation. Symptoms may include redness and drying of the skin.

Inhalation: Under normal use the product is not likely to cause any irritation. However, if the product is heated for any reason, exposure to vapor may cause respiratory tract irritation.

Ingestion: May cause stomach distress, nausea or vomiting.

Acute toxicity:

| Ingredient | LD 50 | LC 50 |
|------------------|-----------------------|---------------|
| Propylene glycol | Oral: 20000 mg/kg rat | Not available |

SDS – Tandy Cova Dyes

| | | |
|-------------------------------------|---|---------------------------|
| | Dermal: 20800 mg/kg rabbit | |
| Dipropylene glycol monomethyl ether | Oral: > 5,000 mg/kg rat Dermal: 9500 mg/kg rabbit | 60 mg/l (4 H) rat |
| CI pigment Blue 15 | > 2000 mg/kg rat | Not available |
| CI pigment Green 7 | Oral: > 5000 mg/kg rat | Not available |
| CI pigment Brown 7:X | Oral: 10,000 mg/kg rat | Not available |
| CI pigment yellow 42 | > 10,000 mg/kg rat | Not available |
| Vinyl acrylic copolymer | Oral > 2000 mg/kg rat Dermal > 2000 mg/kg rat | Not available |
| CI pigment yellow 74 | Single dose non-toxic (BASF) | Not available |
| CI pigment yellow 3 | Oral: > 5000 mg/kg rat | Not available |
| CI pigment orange 16 | Oral: > 5000 mg/kg rat | Not available |
| Mica | Not available | Not available |
| Titanium dioxide | Oral: > 24000 mg/kg rat Dermal: 10000 mg/kg rabbit | Inhalation: 6.82 mg/l rat |
| Pigment Black 7 | Oral: 15400 mg/kg rat Dermal: 3000 mg/kg rabbit | Not available |

Skin corrosion/irritation:

Classification criteria have not been met based on the available data.

Serious eye damage/irritation:

Causes eye irritation

Respiratory or skin sensitization:

Classification criteria have not been met based on the available data.

Germ cell mutagenicity:

Classification criteria have not been met based on the available data.

Carcinogenicity: This product is not classified as carcinogen

Reproductive toxicity:

Developmental: This product does not contain known reproductive or developmental toxins.

STOT – single exposure:

Classification criteria have not been met based on the available data.

STOT – repeated exposure:

Classification criteria have not been met based on the available data.

Aspiration hazard:

Classification criteria have not been met based on the available data.

SECTION 12. ECOLOGICAL INFORMATION**12.1. Toxicity:**

Acute/Chronic toxicity: Not considered to be harmful to aquatic life

| Ingredient | Aquatic toxicity |
|------------------|-------------------------------|
| Propylene glycol | 48 h LC 50 guppy > 10000 mg/l |

| | |
|-------------------------------------|--|
| | 48 h LC 50 water flea > 10000 mg/l |
| Dipropylene glycol monomethyl ether | 96 h LC-50 guppy > 1000 mg/l 48 h EC 50 water flea 1919 mg/l 96 h IC-50 green algae > 969 mg/l |
| CI pigment blue 15 | It is not classified into acute water toxicity as a product |
| CI pigment green 7 | No data available |
| CI pigment brown 7:X | No data available |
| CI pigment yellow 42 | No data available |
| Vinyl acrylic copolymer | No data available |
| CI pigment yellow 74 | No toxic effects occur at the range of the substances water solubility |
| CI pigment yellow 3 | No toxic effects occur at the range of the substances water solubility |
| CI pigment orange 16 | No toxic effects occur at the range of the substances water solubility |
| Mica | No data available |
| Titanium dioxide | 96 h LC 50 fathead minnow: > 1000 mg/ |
| Pigment black 7 | No data available |

12.2. Persistence and degradability

Not available

12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

According to Annex XIII, the substance does not meet PBT or vPvB criteria.

12.6. Other adverse effects

Not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Disposal method: This material must be disposed of in accordance with all local, state, provincial and federal regulations. The generation of waste should be avoided and minimized wherever possible.

Other disposal recommendations: Not available

SECTION 14. TRANSPORT INFORMATION

The substance is not a subject to transport regulations on hazardous goods included in ADR (road transport), **RID** (rail transport), **IMDG** (marine transport) and **ICAO/IATA** (air transport).

US DOT: Not regulated

14.1. UN number Not applicable

14.2. UN Proper shipping name Not applicable

14.3. Transport hazard class(es) Not applicable

14.4. Packing group Not applicable

14.5. Environmental hazards Not applicable

14.6. Special precautions for users Do not handle until safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

SECTION 15. REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Safety Data Sheet classification and labeling have been determined according to Regulations: (EC) No. 1907/2006(REACH), 1272/2008(CLP) and OSHA final rule 77 Fed.Reg.17574.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by Controlled Products Regulations.

TSCA (USA): In compliance

SARA Title III (USA)

Section 302: None listed

Section 304: None listed

Section 313: Diepropylene glycol monomethyl ether (Glycol Ethers Category) - 1.2 % by weight

CARB VOC compliance (USA): Compliant to the 15% VOC rule for liquids.

Global Inventories(DSL): 2-(2-ethoxyethoxy) ethanol

NFPA (USA): Health: 1 (Slight)

Fire: 1 (Slight)

Reactivity: 0 (Minimal)

15.2: Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

SECTION 16. OTHER INFORMATION

Date of preparation: September 15, 2013

Version: 1.0

Revision date: July 1, 2015

Revised changes: change in hazard status

Classification for the mixtures were derived using GHS Classification criteria.

| Classification | Classification procedure |
|-----------------------|---------------------------------|
| Not classified | GHS |

Relevant H and P phrases:

P102: Keep out of reach of children

P280: Wear protective gloves / eye protection

P501 Dispose of contents and containers in accordance with all local, regional, national and international regulations.

Abbreviations and acronyms in the Safety Data Sheet

CAS No. Chemical Abstracts Service Number

EINECS No. European Commission Number

REACH No. Registration, Evaluation, Authorization and Restriction of Chemicals Number

TLV-TWA Threshold Limit Value

TLV-STEL Threshold Limit Value, Short Term Exposure Limit

TLV-C Ceiling exposure limit

vPvB very Persistent, very Bioaccumulative (substance)

PBT Persistent, bioaccumulative, and toxic (substance)

LD₅₀ Dose that will kill 50% of the test animals

LC₅₀ Concentration that will kill 50% of the test animals

STOT Specific Target Organ Toxicity

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

SDS – Tandy Cova Dyes

ADR Agreement on Dangerous Goods by Road
IMDG International Maritime Transport of Dangerous Goods
IATA International Air Transport Association

The list of applicable phrases or precautionary statements not specified in whole in sections 2-15 of the Safety Data Sheet.

None.

Advice on training for employees:

Employees who use the product should be trained on risks for health, hygiene, use of individual protection, accident preventive actions, rescue actions, etc.

Disclaimer: This SDS is not a quality certificate for the product. All data presented in this sheet are to be taken only as a help in safe handling in transport, distribution, use and storage. Persons handling the product should be informed about risks and precautionary measures. Information in the Safety Data Sheet relates to the above mentioned products and their specified uses only. They may be obsolete or insufficient for this product used in conjunction with other materials or in different applications than those specified in the Safety Data Sheet. The user is obliged to follow all applicable standards and regulations and is also responsible for inappropriate use of information contained in this sheet or for an inappropriate use of the product. In the case of special applications evaluate exposure and develop the appropriate procedure and training programs in order to ensure safety at work.